



ART. 301 Raccordo diritto maschio conico
Taper straight male adaptor

CODICE	ØD	F	I	H			
3010418	4/2,7	G1/8	8	25,5	9	12	100
3010518	5/3	G1/8	8	25	8	12	100
3010618	6/4	G1/8	8	26,5	12	12	100
3010614	6/4	G1/4	11	30	12	14	100
3010638	6/4	G3/8	11,5	30,5	12	17	100
3010818	8/6	G1/8	8	26,5	14	12	100
3010814	8/6	G1/4	11	30	14	14	100
3010838	8/6	G3/8	11,5	30,5	14	17	50
3010812	8/6	G1/2	14	33,5	14	22	50
3011018	10/8	G1/8	8	29	16	14	50
3011014	10/8	G1/4	11	32	16	14	50
3011038	10/8	G3/8	11,5	32,5	16	17	50
3011012	10/8	G1/2	14	35,5	16	22	50
3011238	12/10	G3/8	11,5	35,5	18	17	50
3011212	12/10	G1/2	14	38,5	18	22	25
3011512	15/12,5	G1/2	14	40	22	22	25


ART. 301Z Raccordo diritto maschio cilindrico
Parallel straight male adaptor


CODICE	ØD	F	I	H			
301Z0418	4/2,7	G1/8	6	21,5	8	13	100
301Z05M5	5/3	M5	4	20	8	8	100
301Z05M6	5/3	M6	4	22,1	8	8	100
301Z0518	5/3	G1/8	6	24,1	8	13	100
301Z06M5	6/4	M5	3,8	21,8	8	8	100
301Z0618	6/4	G1/8	6	24,5	12	14	100
301Z0614	6/4	G1/4	8	27	12	17	100
301Z0638	6/4	G3/8	9	28	12	19	50
301Z0818	8/6	G1/8	6	24,5	14	14	100
301Z0814	8/6	G1/4	8	27	14	17	50
301Z0838	8/6	G3/8	9	28	14	19	50
301Z1014	10/8	G1/4	8	29	16	17	50
301Z1038	10/8	G3/8	9	30	16	19	25
301Z1238	12/10	G3/8	9	33	18	19	25
301Z1212	12/10	G1/2	10	35	18	24	25
301Z1512	15/12,5	G1/2	10	35	22	24	25



ART. TC

 Raccordo diritto maschio cilindrico
Parallel straight male adaptor


CODICE	ØD	ØF	I	L	H		
TC04M5	4	M5x0,8	4	17,0	8		100
TC0418	4	G1/8	6	20,5	14		100
TC06M5	6	M5x0,8	4	20,8	10		100
TC06M6	6	M6x1	4	20,8	10		100
TC0618	6	G1/8	6	23,3	14		100



ART. 302

 Raccordo diritto femmina
Straight female adaptor


CODICE	ØD	F	I	H	H1			
3020618	6/4	G1/8	8	25	10	12	14	100
3020614	6/4	G1/4	11	29	14	12	17	100
3020638	6/4	G3/8	11,5	29,5	14,5	12	22	50
3020818	8/6	G1/8	8	25	10	14	14	100
3020814	8/6	G1/4	11	29	14	14	17	100
3020838	8/6	G3/8	11,5	29,5	14,5	14	22	50
3021014	10/8	G1/4	11	30,5	14	16	17	50
3021038	10/8	G3/8	11,5	31	14,5	16	22	50
3021238	12/10	G3/8	11,5	32,5	14,5	18	22	50



ART. 303

 Raccordo diritto intermedio
Straight connector


CODICE	ØD	L					
3030500	5/3	28,5			8	8	100
3030600	6/4	32			12	12	100
3030800	8/6	32			14	12	100
3031000	10/8	37			16	14	50
3031200	12/10	43			18	17	50
3031500	15/12,5	46,5			22	22	25



ART. 304


 Raccordo intermedio passaparete
Bulkhead connector

CODICE	ØD	A	L				
3040600	6/4	M10x1	45		12	14	100
3040800	8/6	M12x1	48		14	17	50
3041000	10/8	M14x1	54		16	17	50
3041200	12/10	M16x1	57		18	19	25
3041500	15/12,5	M20x1	59		22	24	10




ART. 305 Raccordo ad L maschio conico
Elbow taper male adaptor


CODICE	ØD	F	I	H	L			
3050518	5/3	G1/8	8	17	21,5	8	8	100
3050618	6/4	G1/8	8,5	17	20,5	12	10	100
3050614	6/4	G1/4	12,5	21	20,5	12	8	100
3050638	6/4	G3/8	15,5	23	20,5	12	8	50
3050818	8/6	G1/8	8	17	20,5	14	10	100
3050814	8/6	G1/4	12,5	21,5	20,5	14	10	100
3050838	8/6	G3/8	15,3	23,8	20,5	14	10	50
3051018	10/8	G1/8	8	17	24,5	16	12	50
3051014	10/8	G1/4	12,5	22	24,5	16	12	50
3051038	10/8	G3/8	14,8	24,3	24,5	16	12	50
3051012	10/8	G1/2	14	28	28	16	17	25
3051238	12/10	G3/8	14	26	29	18	14	50
3051212	12/10	G1/2	16	28	29	18	14	25
3051512	15/12,5	G1/2	15	28	24	22	16	25


ART. TL Raccordo ad L maschio cilindrico
Elbow parallel male adaptor


CODICE	ØD	ØF	I	H	L1			
TL04M5	4	M5x0,8	4,0	13,0	13,5			50
TL0418	4	G1/8	5,0	19,5	16,5			50
TL06M5	6	M5x0,8	4,9	13,9	16,3			50
TL06M6	6	M6x1	4,0	14,2	17,5			50
TL0618	6	G1/8	5,0	19,5	19,3			50


ART. 305F Raccordo ad L femmina
Female elbow adaptor

CODICE	ØD	F	I	H	L			
305F0618	6/4	G1/8	7	20,5	20,5	12	10	100
305F0614	6/4	G1/4	8	22,5	20,5	12	12	50
305F0818	8/6	G1/8	7	20,5	20,5	14	10	100
305F0814	8/6	G1/4	8	23,5	20,5	14	11	50
305F1014	10/8	G1/4	8	24	24,5	16	13	50
305F1038	10/8	G3/8	10	27	24,5	16	17	25
305F1238	12/10	G3/8	10	29	29	18	14	25


ART. 306 Raccordo ad L intermedio
Elbow connector


CODICE	ØD	L			
3060600	6/4	20,5		12	8
3060800	8/6	20,5		14	10
3061000	10/8	24,5		16	11
3061200	12/10	29		18	14
3061500	15/12,5	34		22	16



ART. 307

 Raccordo T centrale
 Central Tee adaptor


CODICE	$\varnothing D$	F	I	H	L			
3070618	6/4	G1/8	8,5	17	41	12	8	100
3070614	6/4	G1/4	13	21,5	41	12	8	50
3070818	8/6	G1/8	8	16,5	41	14	10	50
3070814	8/6	G1/4	12,5	21	41	14	10	50
3070838	8/6	G3/8	15,3	23,8	41	14	10	25
3071018	10/8	G1/8	8	18,5	49	16	12	50
3071014	10/8	G1/4	11,8	22,3	49	16	12	50
3071038	10/8	G3/8	14,7	25,2	49	16	12	25
3071238	12/10	G3/8	14,1	26	58	18	14	25
3071212	12/10	G1/2	15	27	58	18	14	25
3071512	15/12,5	G1/2	14,4	27,4	68	22	16	10



ART. 308

 Raccordo T laterale
 Off-set Tee adaptor


CODICE	$\varnothing D$	F	I	L	H			
3080618	6/4	G1/8	8,5	20,5	37,5	12	8	100
3080614	6/4	G1/4	13	20,5	42	12	8	50
3080818	8/6	G1/8	8	20,5	37	14	10	50
3080814	8/6	G1/4	12,5	20,5	41,5	14	10	50
3080838	8/6	G3/8	15,3	20,5	44,3	14	10	25
3081018	10/8	G1/8	8	25,5	44	16	12	50
3081014	10/8	G1/4	11,8	24,5	46,8	16	12	50
3081038	10/8	G3/8	14,7	24,5	49,7	16	12	25
3081238	12/10	G3/8	14,1	29	55,1	18	14	25
3081212	12/10	G1/2	15	29	56	18	14	25
3081512	15/12,5	G1/2	14,4	34	61,4	22	16	10



ART. 309


 Raccordo T intermedio
 Tee connector

CODICE	$\varnothing D$	H	L			
3090600	6/4	20,5	41	12	8	50
3090800	8/6	20,5	41	14	10	50
3091000	10/8	24,5	49	16	12	25
3091200	12/10	29	58	18	14	25
3091500	15/12,5	34	68	22	17	10




ART. 310 Dado di serraggio
Locking nut

CODICE	ØD	F	H		
3100400	4/2,7	M7x0,75	9	9	100
3100500	5/3	M7x0,75	10	8	100
3100608	6/4	M8x0,75	9	9	100
3100610	6/4	M10x1	10	12	100
3100800	8/6	M12x1	11,5	14	100
3101000	10/8	M14x1	13,5	16	100
3101200	12/10	M16x1	15	18	100
3101500	15/12,5	M20x1	14,5	22	50


ART. 311 Raccordo a croce intermedio
Cross adaptor


CODICE	ØD	L				
3110600	6/4	41		8	12	50
3110800	8/6	41		10	14	25
3111000	10/8	49		12	16	25


ART. 405 Anello singolo
Single banjo body

CODICE	ØD	G*	H	L			
40504M5	4/2	M5	9	16,5		8	100
40506M5	6/4	M5	9	18		9	100
4050618	6/4	G1/8	15	23,5		12	100
4050614	6/4	G1/4	17	25,5		12	100
4050818	8/6	G1/8	15	22,5		14	100
4050814	8/6	G1/4	17	24,5		14	50
4050838	8/6	G3/8	20	25,5		14	25
4051014	10/8	G1/4	17,5	25,5		14	50
4051038	10/8	G3/8	14,5	27		16	50

(*) G = Filetto vite/asta

(*) G = Steam thread


ART. 406 Anello doppio
Double banjo body

CODICE	ØD	G*	H	L			
4060618	6/4	G1/8	15	47		12	100
4060614	6/4	G1/4	14,5	51		12	50
4060818	8/6	G1/8	14,5	45		14	50
4060814	8/6	G1/4	14,5	49		14	50
4060838	8/6	G3/8	20	51		14	25
4061014	10/8	G1/4	14,5	51		16	50

(*) G = Filetto vite/asta

(*) G = Steam thread

